Tuesday, 16/10/2007 9:51:24 AM User: Linda Lacelle **Process Sheet** : STRUT Customer : CU-DAR001 Dart Helicopters Services **Drawing Name** Job Number : 35174 **Estimate Number** : 10986 : D2565407 P.O. Number **Part Number** S.O. No. : NA : 16/10/2007 : D2565 REV E This Issue **Drawing Number** Prsht Rev. **Project Number** : N/A First Issue Type : SMALL /MED FAB **Drawing Revision Previous Run** Material : 23/10/2007 Each **Due Date** Qty: 3 Um: Written By Checked & Approved By Comment : Est:A 04.05.10 New Issue KJ/JLM **Additional Product** Job Number: Seq. #: **Machine Or Operation:** Description: M304TR0750W049 304 RD Tube .750 x .049W Comment: Qty.: 1.0325 f(s)/Unit Total: 3.0974 f(s) M104862 Material: 304/316 SS tubing 0.750" Dia. x 0.049" wall (M304TR0750W049) Batch No: M NC BRAKE BRAKE NC Comment: BRAKE NC Punch as per Dwg D2565 using DT 8313 SMALL FAB 1 SMALL & MEDIUM FAB RESOURCE 1 Comment: SMALL & MEDIUM FAB RESOURCE 1 Deburr 4.0 QC5 Comment: INSPECT WORK TO CURRENT STEP POWDER COATING 5.0 POWDER COATING 105068 Comment: POWDER COATING Powder Coat White (Ref: 4.3.5.2) as per QSI 005 4.3

	Telephone Control of the Control of	4 2	
			•
	^		
: 14 : 01			
			1
*		a t	
			A contract of the second of th
	•		
	•		
			÷
	•		,
}			
	•		
•			
	•		
			,
			•
			•
9-1			
		S.	a de la companya de
4.74	And the state of t	•	

Date: Tuesday, 16/10/2007 9:51:24 AM User: Linda Lacelle **Process Sheet** Customer: CU-DAR001 Dart Helicopters Services **Drawing Name: STRUT** Job Number: 35174 Part Number: D2565407 Job Number: Seq. #: **Machine Or Operation:** Description: INSPECT POWDER COAT/CHEMICAL CONVERSION 6.0 QC3 Comment: INSPECT POWDER COAT PACKAGING 1 7.0 Comment: PACKAGING RESOURCE #1 Identify and Stock 54 Location: 259 QC21 8.0 Comment: FINAL INSPECTION/W/O RELEASE 4 07-10-23 Job Completion





DESIG	"#	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
CHECK	KED //	APPROVED	DRAWING NO. REV. E
	4	1111	D2565 SHEET 1 OF 1
DATE			TITLE SCALE
04.0	05.05		STRUT 1:3
Α		96.05.03	NEW ISSUE
В		97.03.15	CORRECT D2565-111 DIM. A
С		98.10.05	UPDATED MATERIAL NOTE (TSR A603)
D		02.06.05	ADD -3XX PARTS; ADD FINISH
Ε		04.05.05	ADD D2565-401-411; RMV ANGLE D



A B	
DIA 0.257 TO BE PUNCHED — "C" DIA TO BE OPENED MANUALLY PUNCH ENDS PER SPEC CONTROL DRAWING D2638 —	1

[5.67]			
PART #	Α	В	DIA C
D2565-101	20.52	19.72	0.316
D2565-103	18.21	17.41	0.316
D2565-105	20.19	19.39	0.316
D2565-107	13.43		
D2565-109	12.31	11.51	
D2565-111	13.65	12.85	
D2565-201	22.79	22.00	0.316
D2565-203	20.75	19.95	0.316
D2565-205	21.22	20.42	0.316
D2565-207	16.07	15.27	
D2565-209	15.16	14.36	
D2565-211	14.14	13.34	
D2565-301	27.03	26.23	0.316
D2565-303	25.34	24.54	0.316
D2565-305	23.73	22.93	0.316
D2565-307	20.86		_
D2565-309	20.17	19.37	
D2565-311	16.30	15.50	
D2565-401	18.29	17.49	0.316
D2565-403	15.64	14.84	0.316
D2565-405	19.45	18.65	0.316
D2565-407	10.79	9.99	
D2565-409	9.34	8.54	
D2565-411	13.81	13.01	

DENEKAL NOTES

1) MATERIAL: AISI 304/316/318 SS 0.750 OD X 0.049 WALL

(REF DART SPEC. M304TR0.750W0.049)

ENSURE SEAMLESS TUBE IS LISED

2) FINISH: POWDER COAT WITH

2) FINISH: POWDER COAT WHITE (4.3.5.2) PER DART QSI 005 4.3

3) TOLERANCES PER DART QSI 018 UNLÉSS OTHERWISE NOTED

4) ALL DIMENSIONS ARE IN INCHES

Copyright © 1996 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.